

Amendment to the Claims:

Please amend the claims as follows:

This listing of claims will replace all prior versions and listings of the claims in the application:

Listing of Claims:

Claims 1 to 7 (canceled)

Claim 8 (currently amended): A feed comprising a polypeptide having a phytase activity made by a method comprising the following steps:

(a) providing a nucleic acid isolated from an *E. coli*, or a synthetic or recombinant form of the nucleic acid isolated from the *E. coli*, wherein the nucleic acid encodes a polypeptide having a phytase activity, wherein the polypeptide-encoding nucleic acid comprises the sequence of:

a) SEQ ID NO:1; or

b) SEQ ID NO:1, wherein T is substituted with U; or

c) SEQ ID NO:1 from nucleotide 1 to 1296; or

d) SEQ ID NO:1 from nucleotide 1 to 1296, wherein T is substituted with U;
or wherein the polypeptide having a phytase activity has the amino acid sequence of:

(i) SEQ ID NO:2; or

(ii) SEQ ID NO: 2 from amino acids 1 to 432;

(b) providing a composition comprising a feed;

(c) expressing the nucleic acid under conditions which allow expression of the polypeptide having a phytase activity; and

(d) mixing the phytase of (c) with the composition of (b), thereby making a feed comprising a polypeptide having a phytase activity.

Claim 9 (previously presented): The feed of claim 8, wherein the nucleic acid is expressed by *in vitro* transcription.

Claim 10 (previously presented): The feed of claim 8, wherein the nucleic acid is expressed in a cell.

Claim 11 (previously presented): The feed of claim 10, wherein the nucleic acid is expressed in a yeast cell under conditions which allow expression of the enzyme in the yeast cell.

Claim 12 (currently amended): The feed of claim 8, wherein the polypeptide-encoding nucleic acid consists of ~~comprises~~ the sequence of:

- a) SEQ ID NO:1; or
 - b) SEQ ID NO:1, wherein T is substituted with U; or
 - c) SEQ ID NO:1 from nucleotide 1 to 1296; or
 - d) SEQ ID NO:1 from nucleotide 1 to 1296, wherein T is substituted with U;
- or wherein the polypeptide having a phytase activity has the amino acid sequence of :
- (i) SEQ ID NO:2; or
 - (ii) SEQ ID NO: 2 from amino acids 1 to 432.

Claim 13 (currently amended): A feed comprising a recombinant or a synthetic polypeptide having a phytase activity, wherein the recombinant polypeptide having a phytase activity is encoded by a nucleic acid isolated from an *E. coli*,

wherein the polypeptide having a phytase activity is encoded by a nucleic acid having the sequence of :

- a) SEQ ID NO:1; or
 - b) SEQ ID NO:1, wherein T is substituted with U; or
 - c) SEQ ID NO:1 from nucleotide 1 to 1296; or
 - d) SEQ ID NO:1 from nucleotide 1 to 1296, wherein T is substituted with U;
- or wherein the phytase having a phytase activity has the amino acid sequence of :
- (i) SEQ ID NO:2; or
 - (ii) SEQ ID NO: 2 from amino acids 1 to 432.

Claim 14 (currently amended): The feed of claim 13, wherein the polypeptide having a phytase activity is encoded by a nucleic acid consisting of having the sequence of :

- a) SEQ ID NO:1; or
 - b) SEQ ID NO:1, wherein T is substituted with U; or
 - c) SEQ ID NO:1 from nucleotide 1 to 1296; or
 - d) SEQ ID NO:1 from nucleotide 1 to 1296, wherein T is substituted with U;
- or wherein the phytase having a phytase activity has the amino acid sequence of :
- (i) SEQ ID NO:2; or
 - (ii) SEQ ID NO: 2 from amino acids 1 to 432.

Claim 15 (withdrawn – currently amended): A method for treating a feed comprising a polypeptide having a phytase activity to lower the phytate content in the feed and increasing the amount of inorganic phosphorous in the feed comprising the following steps:

(a) providing a recombinant polypeptide having a phytase activity encoded by a nucleic acid isolated from an *E. coli*, or a synthetic or recombinant form of the nucleic acid isolated from the *E. coli*,

wherein the polypeptide having a phytase activity is encoded by a nucleic acid having the sequence of :

- a) SEQ ID NO:1; or
 - b) SEQ ID NO:1, wherein T is substituted with U; or
 - c) SEQ ID NO:1 from nucleotide 1 to 1296; or
 - d) SEQ ID NO:1 from nucleotide 1 to 1296, wherein T is substituted with U;
- or wherein the phytase having a phytase activity has the amino acid sequence of :
- (i) SEQ ID NO:2; or
 - (ii) SEQ ID NO: 2 from amino acids 1 to 432;

(b) providing a composition comprising a phytate-comprising feed;

(c) contacting the polypeptide having a phytase activity of (a) with the composition of (b) under conditions wherein the polypeptide having a phytase activity catalyzes the hydrolysis of

phytate, thereby making a feed lower in phytate content and higher in inorganic phosphorous content.

Claim 16 (withdrawn – currently amended): The method of claim 15, wherein the polypeptide having a phytase activity is encoded by a nucleic acid having the sequence of [[in]] SEQ ID NO:1, or wherein the polypeptide having a phytase activity has the amino acid sequence of SEQ ID NO:2.

Claim 17 (withdrawn – currently amended): A method for supplementing the diet of an animal by increasing the amount of inorganic phosphorous in an ingested feed comprising feeding to the animal a composition comprising a recombinant phytase, wherein the recombinant phytase is encoded by a nucleic acid isolated from an *E. coli*, or a synthetic or recombinant form of the nucleic acid isolated from the *E. coli*,

wherein the polypeptide having a phytase activity is encoded by a nucleic acid having the sequence of :

- a) SEQ ID NO:1; or
- b) SEQ ID NO:1, wherein T is substituted with U; or
- c) SEQ ID NO:1 from nucleotide 1 to 1296; or
- d) SEQ ID NO:1 from nucleotide 1 to 1296, wherein T is substituted with U;
or wherein the phytase having a phytase activity has the amino acid sequence of :
 - (i) SEQ ID NO:2; or
 - (ii) SEQ ID NO: 2 from amino acids 1 to 432.

Claim 18 (withdrawn): The method of claim 17, wherein the polypeptide having a phytase activity is encoded by a nucleic acid having the sequence of SEQ ID NO:1, or wherein the polypeptide having a phytase activity has the amino acid sequence of SEQ ID NO:2.

Claim 19 (currently amended): A food supplement for an animal comprising a composition comprising a recombinant polypeptide having a phytase activity, wherein the recombinant

polypeptide having a phytase activity is encoded by a nucleic acid isolated from an *E. coli*, or a synthetic or recombinant form of the nucleic acid isolated from the *E. coli*,

wherein the polypeptide having a phytase activity is encoded by a nucleic acid having the sequence of :

- a) SEQ ID NO:1; or
- b) SEQ ID NO:1, wherein T is substituted with U; or
- c) SEQ ID NO:1 from nucleotide 1 to 1296; or
- d) SEQ ID NO:1 from nucleotide 1 to 1296, wherein T is substituted with U;
or wherein the phytase having a phytase activity has the amino acid sequence of :
 - (i) SEQ ID NO:2; or
 - (ii) SEQ ID NO: 2 from amino acids 1 to 432.

Claim 20 (currently amended): The food supplement of claim 19, wherein the polypeptide having a phytase activity is encoded by a nucleic acid consisting of ~~having~~ the sequence of :

- a) SEQ ID NO:1; or
 - b) SEQ ID NO:1, wherein T is substituted with U; or
 - c) SEQ ID NO:1 from nucleotide 1 to 1296; or
 - d) SEQ ID NO:1 from nucleotide 1 to 1296, wherein T is substituted with U;
- or wherein the polypeptide having a phytase activity has the amino acid sequence of :
- (i) SEQ ID NO:2; or
 - (ii) SEQ ID NO: 2 from amino acids 1 to 432.

Claim 21 (previously presented): The food supplement of claim 20, wherein the nucleic acid is expressed in a plant cell and the plant cell is fed to the animal.

Claim 22 (previously presented): The food supplement of claim 21, wherein the plant cell is in a transgenic plant or plant part.

Claim 23 (previously presented): The food supplement of claim 19, wherein the composition is an aqueous liquid formulation or the composition further comprises an aqueous liquid formulation.

Claim 24 (currently amended): A drinkable foodstuff comprising a recombinant polypeptide having a phytase activity, wherein the recombinant polypeptide having a phytase activity is encoded by a nucleic acid isolated from an *E. coli*, or a synthetic or recombinant form of the nucleic acid isolated from the *E. coli*,

wherein the polypeptide having a phytase activity is encoded by a nucleic acid having the sequence of :

- a) SEQ ID NO:1; or
- b) SEQ ID NO:1, wherein T is substituted with U; or
- c) SEQ ID NO:1 from nucleotide 1 to 1296; or
- d) SEQ ID NO:1 from nucleotide 1 to 1296, wherein T is substituted with U;
or wherein the phytase having a phytase activity has the amino acid sequence of :
 - (i) SEQ ID NO:2; or
 - (ii) SEQ ID NO: 2 from amino acids 1 to 432.

Claim 25 (previously presented): The drinkable foodstuff of claim 24 comprising a liquor, a wine, a mixed alcoholic drink, a wine cooler, an alcoholic coffee, a beer, a near-beer, a juice, an extract, a homogenate or a puree.

Claim 26 (previously presented): The food supplement of claim 19, wherein the nucleic acid is expressed by *in vitro* transcription.

Claim 27 (previously presented): The feed of claim 10, wherein the cell is prokaryotic cell or a eukaryotic cell.

Claim 28 (previously presented): The feed of claim 10, wherein the cell is a bacterial cell, a yeast cell, a plant cell, an insect cell, a fungal cell or an animal cell.

Claim 29 (canceled)

Claim 30 (previously presented): The feed of claim 28, wherein the yeast cell is a *Saccharomyces cerevisiae*.

Claim 31 (previously presented): The feed of claim 28, wherein the bacterial cell is a gram negative bacteria or a gram positive bacteria.

Claim 32 (canceled)

Claim 33 (previously presented): The feed of claim 31, wherein the gram negative bacteria is an *Escherichia coli*.

Claim 34 (previously presented): The feed of claim 31, wherein the gram positive bacteria is a *Bacillus* sp.

Claim 35 (previously presented): The feed of claim 34, wherein gram positive bacteria is a *Bacillus subtilis*.

Claim 36 (previously presented): The feed of claim 28, wherein the fungal cell is an *Aspergillus* sp.

Claim 37 (previously presented): The feed of claim 36, wherein the fungal cell is an *Aspergillus terreus* or an *Aspergillus ficuum*.

Claim 38 (previously presented): The feed of claim 8, wherein the nucleic acid is contained in a cloning vehicle.

Claim 39 (previously presented): The feed of claim 38, wherein the cloning vehicle comprises an expression cassette, a vector, a plasmid, a phage, a phagemid, a cosmid, a fosmid, or

an artificial chromosome, or, the cloning vehicle is an expression cassette, a vector, a plasmid, a phage, a phagemid, a cosmid, a fosmid or an artificial chromosome.

Claim 40 (previously presented): The feed of claim 10, wherein the polypeptide comprises a signal peptide (a leader sequence) and is secreted by the cell.

Claim 41 (previously presented): The feed of claim 8, wherein the *E. coli* is an *Escherichia coli* B.

Claims 42 to 43 (canceled)

Claim 44 (previously presented): The feed of claim 13, wherein the *E. coli* is an *Escherichia coli* B.

Claim 45 (canceled)

Claim 46 (previously presented): The food supplement of claim 19, wherein the *E. coli* is an *Escherichia coli* B.

Claim 47 (canceled)

Claim 48 (previously presented): The drinkable foodstuff of claim 24, wherein the *E. coli* is an *Escherichia coli* B.

Claim 49 (currently amended): The drinkable foodstuff of claim 24, wherein the polypeptide having a phytase activity is encoded by a nucleic acid consisting of ~~having~~ the sequence of :

- a) SEQ ID NO:1; or
- b) SEQ ID NO:1, wherein T is substituted with U; or
- c) SEQ ID NO:1 from nucleotide 1 to 1296; or

- d) SEQ ID NO:1 from nucleotide 1 to 1296, wherein T is substituted with U;
or wherein the polypeptide having a phytase activity has the amino acid sequence of :
- (i) SEQ ID NO:2; or
 - (ii) SEQ ID NO: 2 from amino acids 1 to 432.

Claim 50 (previously presented): The food supplement of claim 19, wherein the nucleic acid is expressed in a cell.

Claim 51 (previously presented): The food supplement of claim 50, wherein the nucleic acid is expressed in a yeast cell under conditions which allow expression of the polypeptide having a phytase activity in the yeast cell.

Claim 52 (previously presented): The food supplement of claim 50, wherein the polypeptide comprises a signal peptide (a leader sequence) and is secreted by the cell.

Claim 53 (previously presented): The food supplement of claim 19, wherein the polypeptide having a phytase activity lacks a signal peptide (a leader sequence).

Claim 54 (currently amended): The feed of claim 8, wherein the nucleic acid encodes a polypeptide having a phytase activity lacking a signal peptide (a leader sequence) and has the sequence of :

- a) SEQ ID NO:1, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2; or
- b) SEQ ID NO:1, wherein T is substituted with U, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2; or
- c) SEQ ID NO:1 from nucleotide 1 to 1296, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2; or
- d) SEQ ID NO:1 from nucleotides 67 ~~nucleotide 1~~ to 1296, wherein T is substituted with U, ~~lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2;~~
or wherein the polypeptide having a phytase activity has the amino acid sequence of :

- (i) SEQ ID NO:2, and lacking amino acid residues 1 to 22 of SEQ ID NO:2; or
- (ii) SEQ ID NO: 2 from amino acids 23 [11] to 432, ~~and lacking amino acid residues 1 to 22 of SEQ ID NO:2.~~

Claim 55 (currently amended): The food supplement of claim 19, wherein the polypeptide having a phytase activity lacks a signal peptide (a leader sequence) and is encoded by a nucleic acid having the sequence of :

- a) SEQ ID NO:1, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2; or
- b) SEQ ID NO:1, wherein T is substituted with U, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2; or
- c) SEQ ID NO:1 from nucleotide 1 to 1296, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2; or
- d) SEQ ID NO:1 from nucleotides 67 ~~nucleotide 1~~ to 1296, wherein T is substituted with U, ~~lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2;~~
or wherein the polypeptide having a phytase activity has the amino acid sequence of :
 - (i) SEQ ID NO:2, and lacking amino acid residues 1 to 22 of SEQ ID NO:2; or
 - (ii) SEQ ID NO: 2 from amino acids 23 [11] to 432, ~~and lacking amino acid residues 1 to 22 of SEQ ID NO:2.~~

Claim 56 (previously presented): The drinkable foodstuff of claim 24, wherein the nucleic acid is expressed in a cell.

Claim 57 (previously presented): The drinkable foodstuff of claim 56, wherein the polypeptide having a phytase activity comprises a signal peptide (a leader sequence) and is secreted by the cell.

Claim 58 (currently amended): The drinkable foodstuff of claim 24, wherein the recombinant polypeptide having a phytase activity lacks a signal peptide (a leader sequence) and is encoded by a nucleic acid having the sequence of :

- a) SEQ ID NO:1, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2; or
- b) SEQ ID NO:1, wherein T is substituted with U, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2; or
- c) SEQ ID NO:1 from nucleotide 1 to 1296, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2; or
- d) SEQ ID NO:1 from ~~nucleotides 67~~ nucleotide 1 to 1296, wherein T is substituted with U, ~~lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2;~~
or wherein the polypeptide having a phytase activity has the amino acid sequence of :
 - (i) SEQ ID NO:2, and lacking amino acid residues 1 to 22 of SEQ ID NO:2; or
 - (ii) SEQ ID NO: 2 from amino acids 23 ~~[[1]]~~ to 432, ~~and lacking amino acid residues 1 to 22 of SEQ ID NO:2.~~

Claim 59 (withdrawn): A method for treating a feed comprising a polypeptide having a phytase activity to lower the phytate content in the feed and increasing the amount of inorganic phosphorous in the feed comprising the following steps:

- (a) providing a recombinant polypeptide having a phytase activity (A) lacking a native signal peptide (a leader sequence), (B) lacking a native signal peptide (leader sequence) and comprising a heterologous signal peptide (leader sequence), (C) comprising (A) or (B) and a heterologous sequence; or (D) comprising (A), (B) or (C) and encoded by a polynucleotide comprising the nucleic acid of:
 - (i) SEQ ID NO:1, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2;
 - (ii) SEQ ID NO:1, wherein T is substituted with U, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2;
 - (iii) SEQ ID NO:1 from nucleotide 1 to 1296, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2; or
 - (iv) SEQ ID NO:1 from nucleotide 1 to 1296, wherein T is substituted with U, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2, or wherein the polypeptide has the

amino acid sequence of : SEQ ID NO:2, and lacking amino acid residues 1 to 22 of SEQ ID NO:2, or SEQ ID NO: 2 from amino acids 1 to 432, and lacking amino acid residues 1 to 22 of SEQ ID NO:2;

- (b) providing a composition comprising a phytate-comprising feed; and
- (c) contacting the polypeptide having a phytase activity of (a) with the composition of (b) under conditions wherein the polypeptide having a phytase activity catalyzes the hydrolysis of phytate, thereby making a feed lower in phytate content and higher in inorganic phosphorous content.

Claims 60 to 63 (canceled)

Claim 64 (previously presented): The food supplement of claim 19, wherein the animal is a nonhuman animal.

Claim 65 (canceled)

Claim 66 (currently amended): The feed of claim 13, wherein the nucleic acid encodes a polypeptide having a phytase activity lacking a signal peptide (a leader sequence) and has the sequence of :

- a) SEQ ID NO:1, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2; or
- b) SEQ ID NO:1, wherein T is substituted with U, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO: 2; or
- c) SEQ ID NO:1 from nucleotide 1 to 1296, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO: 2; or
- d) SEQ ID NO:1 from nucleotides 67 ~~nucleotide 1~~ to 1296, wherein T is substituted with U, ~~lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2;~~
or wherein the polypeptide having a phytase activity has the amino acid sequence of :
 - (i) SEQ ID NO:2, and lacking amino acid residues 1 to 22 of SEQ ID NO:2; or

(ii) SEQ ID NO: 2 from amino acids 23 ~~[[1]]~~ to 432, ~~and lacking amino acid residues 1 to 22 of SEQ ID NO:2.~~

Claim 67 (previously presented): The feed of claim 8, wherein the polypeptide having a phytase activity comprises an amino acid sequence

- (a) lacking a homologous (native) signal peptide (a leader sequence),
- (b) lacking a homologous (native) signal peptide (leader sequence) and further comprising a heterologous signal peptide (leader sequence), or
- (c) comprising (a) or (b) and further comprising a heterologous sequence
- (d) comprising the amino acid sequence of (a), (b) or (c) encoded by a polynucleotide comprising the nucleic acid of: (i) SEQ ID NO:1, lacking the bases encoding amino acid residues 1 to 22; (ii) SEQ ID NO:1, wherein T is substituted with U, lacking the bases encoding amino acid residues 1 to 22; (iii) SEQ ID NO:1 from nucleotide 1 to 1296, lacking the bases encoding amino acid residues 1 to 22; or (iv) SEQ ID NO:1 from nucleotide 1 to 1296, wherein T is substituted with U, lacking the bases encoding amino acid residues 1 to 22, or wherein the polypeptide having a phytase activity has the amino acid sequence of: SEQ ID NO:2, and lacking amino acid residues 1 to 22, or SEQ ID NO: 2 from amino acids 1 to 432, and lacking amino acid residues 1 to 22.

Claim 68 (previously presented): The feed of claim 13, wherein the polypeptide having a phytase activity comprises an amino acid sequence

- (a) lacking a homologous (native) signal peptide (a leader sequence),
- (b) lacking a homologous (native) signal peptide (leader sequence) and further comprising a heterologous signal peptide (leader sequence), or
- (c) comprising (a) or (b) and further comprising a heterologous sequence.

Claim 69 (withdrawn): The method of claim 15, wherein the polypeptide having a phytase activity comprises an amino acid sequence

- (a) lacking a homologous (native) signal peptide (a leader sequence),
- (b) lacking a homologous (native) signal peptide (leader sequence) and further comprising a heterologous signal peptide (leader sequence), or

- (c) comprising (a) or (b) and further comprising a heterologous sequence.

Claim 70 (withdrawn): The method of claim 17, wherein the polypeptide having a phytase activity comprises an amino acid sequence

- (a) lacking a homologous (native) signal peptide (a leader sequence),
- (b) lacking a homologous (native) signal peptide (leader sequence) and further comprising a heterologous signal peptide (leader sequence), or
- (c) comprising (a) or (b) and further comprising a heterologous sequence.

Claim 71 (previously presented): The food supplement of claim 19, wherein the polypeptide having a phytase activity comprises an amino acid sequence

- (a) lacking a homologous (native) signal peptide (a leader sequence),
- (b) lacking a homologous (native) signal peptide (leader sequence) and further comprising a heterologous signal peptide (leader sequence).

Claim 72 (previously presented): The drinkable foodstuff of claim 24, wherein the polypeptide having a phytase activity comprises an amino acid sequence

- (a) lacking a homologous (native) signal peptide (a leader sequence),
- (b) lacking a homologous (native) signal peptide (leader sequence) and further comprising a heterologous signal peptide (leader sequence),
- (c) comprising (a) or (b) and further comprising a heterologous sequence.

Claim 73 (currently amended): The feed of claim 8, wherein the polypeptide having a phytase activity comprises

- (a) an amino acid sequence encoded by a polynucleotide comprising the nucleic acid of:
 - (i) SEQ ID NO:1, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO: 2;
 - (ii) SEQ ID NO:1, wherein T is substituted with U, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO: 2;

(iii) SEQ ID NO:1 from nucleotides 67 ~~nucleotide 1~~ to 1296, ~~lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2; or~~

(iv) SEQ ID NO:1 from nucleotides 67 ~~nucleotide 1~~ to 1296, wherein T is substituted with U, ~~lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2; or,~~

(b) ~~has the amino acid sequence of: SEQ ID NO:2, and lacks amino acid residues 1 to 22 of SEQ ID NO: 2, or has the amino acid sequence of SEQ ID NO: 2 from amino acids 23 [[1]] to 432, and lacks amino acid residues 1 to 22 of SEQ ID NO: 2.~~

Claim 74 (currently amended): The feed of claim 13, wherein the polypeptide having a phytase activity comprises

(a) an amino acid sequence encoded by a polynucleotide comprising the nucleic acid of:

(i) SEQ ID NO:1, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO: 2;

(ii) SEQ ID NO:1, wherein T is substituted with U, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO: 2;

(iii) SEQ ID NO:1 from nucleotides 67 ~~nucleotide 1~~ to 1296, ~~lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2; or~~

(iv) SEQ ID NO:1 from nucleotides 67 ~~nucleotide 1~~ to 1296, wherein T is substituted with U, ~~lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2; or,~~

(b) ~~has the amino acid sequence of: SEQ ID NO:2, and lacks amino acid residues 1 to 22 of SEQ ID NO: 2, or has the amino acid sequence of SEQ ID NO: 2 from amino acids 23 [[1]] to 432, and lacks amino acid residues 1 to 22 of SEQ ID NO: 2.~~

Claim 75 (currently amended): The food supplement of claim 19, wherein the polypeptide having a phytase activity comprises

(a) an amino acid sequence encoded by a polynucleotide comprising the nucleic acid of:

(i) SEQ ID NO:1, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO: 2;

(ii) SEQ ID NO:1, wherein T is substituted with U, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO: 2;

(iii) SEQ ID NO:1 from nucleotides 67 ~~nucleotide 1~~ to 1296, ~~lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2;~~ or

(iv) SEQ ID NO:1 from nucleotides 67 ~~nucleotide 1~~ to 1296, wherein T is substituted with U, ~~lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2;~~ or,

(b) ~~has the amino acid sequence of: SEQ ID NO:2, and lacks amino acid residues 1 to 22 of SEQ ID NO: 2, or has the amino acid sequence of SEQ ID NO: 2 from amino acids 23 [[1]] to 432, and lacks amino acid residues 1 to 22 of SEQ ID NO: 2.~~

Claim 76 (currently amended): The drinkable foodstuff of claim 24, wherein the polypeptide having a phytase activity comprises

(a) an amino acid sequence encoded by a polynucleotide comprising the nucleic acid of:

(i) SEQ ID NO:1, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO: 2;

(ii) SEQ ID NO:1, wherein T is substituted with U, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO: 2;

(iii) SEQ ID NO:1 from nucleotides 67 ~~nucleotide 1~~ to 1296, ~~lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2;~~ or

(iv) SEQ ID NO:1 from nucleotides 67 ~~nucleotide 1~~ to 1296, wherein T is substituted with U, ~~lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2;~~ or,

(b) ~~has the amino acid sequence of: SEQ ID NO:2, and lacks amino acid residues 1 to 22 of SEQ ID NO: 2, or has the amino acid sequence of SEQ ID NO: 2 from amino acids 23 [[1]] to 432, and lacks amino acid residues 1 to 22 of SEQ ID NO: 2.~~

Claim 77 (currently amended): The method of claim 15, wherein the polypeptide having a phytase activity comprises

(a) an amino acid sequence encoded by a polynucleotide comprising the nucleic acid of:

- (i) SEQ ID NO:1, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO: 2;
- (ii) SEQ ID NO:1, wherein T is substituted with U, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO: 2;
- (iii) SEQ ID NO:1 from nucleotides 67 ~~nucleotide 1~~ to 1296, ~~lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2;~~ or
- (iv) SEQ ID NO:1 from nucleotides 67 ~~nucleotide 1~~ to 1296, wherein T is substituted with U, ~~lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2;~~ or,
- (b) ~~has the amino acid sequence of: SEQ ID NO:2, and lacks amino acid residues 1 to 22 of SEQ ID NO: 2, or has the amino acid sequence of SEQ ID NO: 2 from amino acids 23~~ [[1]] to 432, ~~and lacks amino acid residues 1 to 22 of SEQ ID NO: 2.~~

Claim 78 (currently amended): The method of claim 17, wherein the polypeptide having a phytase activity comprises

- (a) an amino acid sequence encoded by a polynucleotide comprising the nucleic acid of:
- (i) SEQ ID NO:1, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO: 2;
- (ii) SEQ ID NO:1, wherein T is substituted with U, lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO: 2;
- (iii) SEQ ID NO:1 from nucleotides 67 ~~nucleotide 1~~ to 1296, ~~lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2;~~ or
- (iv) SEQ ID NO:1 from nucleotides 67 ~~nucleotide 1~~ to 1296, wherein T is substituted with U, ~~lacking the bases encoding amino acid residues 1 to 22 of SEQ ID NO:2;~~ or,
- (b) ~~has the amino acid sequence of: SEQ ID NO:2, and lacks amino acid residues 1 to 22 of SEQ ID NO: 2, or has the amino acid sequence of SEQ ID NO: 2 from amino acids 23~~ [[1]] to 432, ~~and lacks amino acid residues 1 to 22 of SEQ ID NO: 2.~~